

Genlitec[®]
Power & Lighting Solutions

50Hz

60Hz



ISO9001
CERTIFIED

GLT Series

Mobile Lighting Towers



50Hz

60Hz



Single Phase

MOBILE LIGHTING TOWERS

Powered by Kubota | Perkins | Yanmar | Rehlko | Quanchai

Liquid-Cooled Diesel Engines

Model	Lights	Lifting System	Max. Height of Mast	Engine		Gen-set Power		Fuel Tank Capacity
	MH Lamps			Brand	Model	50Hz	60Hz	Liters
GLT4000-9MK	4x1000W	Manual	9 Meters	KUBOTA	D1105-E2BG	6.7KW	7.3KW	100
GLT4000-9MP	4x1000W	Manual	9 Meters	PERKINS	403D-11G	7.2KW	8.0KW	100
GLT4000-9MY	4x1000W	Manual	9 Meters	YANMAR	3TNV76	7.0KW	8.0KW	100
GLT4000-9MR	4x1000W	Manual	9 Meters	REHLKO	KW1003	6.0KW	7.0KW	100
GLT4000-9MQ	4x1000W	Manual	9 Meters	QUANCHAI	QC380D	7.0KW	8.0KW	100
GLT4000-7VMK	4x1000W	Manual - Vertical	7 Meters	KUBOTA	D1105-BG	6.7KW	7.3KW	100
GLT4000-7VMP	4x1000W	Manual - Vertical	7 Meters	PERKINS	403D-11G	7.2KW	8.0KW	100
GLT4000-7VMY	4x1000W	Manual - Vertical	7 Meters	YANMAR	3TNV76	7.0KW	8.0KW	100
GLT4000-7VMR	4x1000W	Manual - Vertical	7 Meters	REHLKO	KW1003	6.0KW	7.0KW	100
GLT4000-7VMQ	4x1000W	Manual - Vertical	7 Meters	QUANCHAI	QC380D	7.0KW	8.0KW	100
GLT4000-8HK	4x1000W	Hydraulic	8 Meters	KUBOTA	D1105-BG	6.7KW	7.3KW	115
GLT4000-8HP	4x1000W	Hydraulic	8 Meters	PERKINS	403D-11G	7.2KW	8.0KW	115
GLT4000-8HY	4x1000W	Hydraulic	8 Meters	YANMAR	3TNV76	7.0KW	8.0KW	115
GLT4000-8HR	4x1000W	Hydraulic	8 Meters	REHLKO	KW1003	6.0KW	7.0KW	115
GLT4000-8HQ	4x1000W	Hydraulic	8 Meters	QUANCHAI	QC380D	7.0KW	8.0KW	115

Remark: Available models and configurations vary by lighting type, lifting system, mast height, engine brand and generator power.

Note: Product configurations may be updated according to market requirements. Please contact GENLITEC POWER for the latest model information.

REHLKO KW1003 diesel engine is available with EU Stage V and EPA Tier 4 Final emissions certification.

For more product information, specifications and configurations, please visit www.genlifecpower.com

50Hz

60Hz



Single Phase

MOBILE LIGHTING TOWERS

Powered by Kubota | Perkins | Yanmar | Rehlko | Quanchai

Liquid-Cooled Diesel Engines

Model	Lights	Lifting System	Max. Height of Mast	Engine		Gen-set Power		Fuel Tank Capacity
	LED Floodlights			Brand	Model	50Hz	60Hz	Liters
GLT1400L-9MK	4x350W	Manual	9 Meters	KUBOTA	D1105-E2BG	6.7KW	7.3KW	100
GLT1400L-9MP	4x350W	Manual	9 Meters	PERKINS	403D-11G	7.2KW	8.0KW	100
GLT1400L-9MY	4x350W	Manual	9 Meters	YANMAR	3TNV76	7.0KW	8.0KW	100
GLT1400L-9MR	4x350W	Manual	9 Meters	REHLKO	KW1003	6.0KW	7.0KW	100
GLT1400L-9MQ	4x350W	Manual	9 Meters	QUANCHAI	QC380D	7.0KW	8.0KW	100
GLT1400L-7VMK	4x350W	Manual - Vertical	7 Meters	KUBOTA	D1105-BG	6.7KW	7.3KW	100
GLT1400L-7VMP	4x350W	Manual - Vertical	7 Meters	PERKINS	403D-11G	7.2KW	8.0KW	100
GLT1400L-7VMY	4x350W	Manual - Vertical	7 Meters	YANMAR	3TNV76	7.0KW	8.0KW	100
GLT1400L-7VMR	4x350W	Manual - Vertical	7 Meters	REHLKO	KW1003	6.0KW	7.0KW	100
GLT1400L-7VMQ	4x350W	Manual - Vertical	7 Meters	QUANCHAI	QC380D	7.0KW	8.0KW	100
GLT1400L-8HK	4x350W	Hydraulic	8 Meters	KUBOTA	D1105-BG	6.7KW	7.3KW	115
GLT1400L-8HP	4x350W	Hydraulic	8 Meters	PERKINS	403D-11G	7.2KW	8.0KW	115
GLT1400L-8HY	4x350W	Hydraulic	8 Meters	YANMAR	3TNV76	7.0KW	8.0KW	115
GLT1400L-8HR	4x350W	Hydraulic	8 Meters	REHLKO	KW1003	6.0KW	7.0KW	115
GLT1400L-8HQ	4x350W	Hydraulic	8 Meters	QUANCHAI	QC380D	7.0KW	8.0KW	115

Remark: Available models and configurations vary by lighting type, lifting system, mast height, engine brand and generator power.

Note: Product configurations may be updated according to market requirements. Please contact GENLITEC POWER for the latest model information.

REHLKO KW1003 diesel engine is available with EU Stage V and EPA Tier 4 Final emissions certification.

For more product information, specifications and configurations, please visit www.genlifecpower.com

50Hz

60Hz



Single
Phase

MOBILE LIGHTING TOWERS

Powered by Kubota | Perkins | Yanmar | Rehlko | Quanchai

Liquid-Cooled Diesel Engines

Model	Lights	Lifting System	Max. Height of Mast	Engine		Gen-set Power		Fuel Tank Capacity
	LED Floodlights			Brand	Model	50Hz	60Hz	Liters
GLT1600L-9MK	4x400W	Manual	9 Meters	KUBOTA	D1105-E2BG	6.7KW	7.3KW	100
GLT1600L-9MP	4x400W	Manual	9 Meters	PERKINS	403D-11G	7.2KW	8.0KW	100
GLT1600L-9MY	4x400W	Manual	9 Meters	YANMAR	3TNV76	7.0KW	8.0KW	100
GLT1600L-9MR	4x400W	Manual	9 Meters	REHLKO	KW1003	6.0KW	7.0KW	100
GLT1600L-9MQ	4x400W	Manual	9 Meters	QUANCHAI	QC380D	7.0KW	8.0KW	100
GLT1600L-7VMK	4x400W	Manual - Vertical	7 Meters	KUBOTA	D1105-BG	6.7KW	7.3KW	100
GLT1600L-7VMP	4x400W	Manual - Vertical	7 Meters	PERKINS	403D-11G	7.2KW	8.0KW	100
GLT1600L-7VMY	4x400W	Manual - Vertical	7 Meters	YANMAR	3TNV76	7.0KW	8.0KW	100
GLT1600L-7VMR	4x400W	Manual - Vertical	7 Meters	REHLKO	KW1003	6.0KW	7.0KW	100
GLT1600L-7VMQ	4x400W	Manual - Vertical	7 Meters	QUANCHAI	QC380D	7.0KW	8.0KW	100
GLT1600L-8HK	4x400W	Hydraulic	8 Meters	KUBOTA	D1105-BG	6.7KW	7.3KW	115
GLT1600L-8HP	4x400W	Hydraulic	8 Meters	PERKINS	403D-11G	7.2KW	8.0KW	115
GLT1600L-8HY	4x400W	Hydraulic	8 Meters	YANMAR	3TNV76	7.0KW	8.0KW	115
GLT1600L-8HR	4x400W	Hydraulic	8 Meters	REHLKO	KW1003	6.0KW	7.0KW	115
GLT1600L-8HQ	4x400W	Hydraulic	8 Meters	QUANCHAI	QC380D	7.0KW	8.0KW	115

Remark: Available models and configurations vary by lighting type, lifting system, mast height, engine brand and generator power.

Note: Product configurations may be updated according to market requirements. Please contact GENLITEC POWER for the latest model information.

REHLKO KW1003 diesel engine is available with EU Stage V and EPA Tier 4 Final emissions certification.

For more product information, specifications and configurations, please visit www.genlitecpower.com

50Hz

60Hz



Single Phase

MOBILE LIGHTING TOWERS

Powered by Kubota | Perkins | Yanmar | Rehlko | Quanchai

Liquid-Cooled Diesel Engines

Model	Lights	Lifting System	Max. Height of Mast	Engine		Gen-set Power		Fuel Tank Capacity
	LED Floodlights			Brand	Model	50Hz	60Hz	Liters
GLT2000L-9MK	4x480W	Manual	9 Meters	KUBOTA	D1105-E2BG	6.7KW	7.3KW	100
GLT2000L-9MP	4x480W	Manual	9 Meters	PERKINS	403D-11G	7.2KW	8.0KW	100
GLT2000L-9MY	4x480W	Manual	9 Meters	YANMAR	3TNV76	7.0KW	8.0KW	100
GLT2000L-9MR	4x480W	Manual	9 Meters	REHLKO	KW1003	6.0KW	7.0KW	100
GLT2000L-9MQ	4x480W	Manual	9 Meters	QUANCHAI	QC380D	7.0KW	8.0KW	100
GLT2000L-7VMK	4x480W	Manual - Vertical	7 Meters	KUBOTA	D1105-BG	6.7KW	7.3KW	100
GLT2000L-7VMP	4x480W	Manual - Vertical	7 Meters	PERKINS	403D-11G	7.2KW	8.0KW	100
GLT2000L-7VMY	4x480W	Manual - Vertical	7 Meters	YANMAR	3TNV76	7.0KW	8.0KW	100
GLT2000L-7VMR	4x480W	Manual - Vertical	7 Meters	REHLKO	KW1003	6.0KW	7.0KW	100
GLT2000L-7VMQ	4x480W	Manual - Vertical	7 Meters	QUANCHAI	QC380D	7.0KW	8.0KW	100
GLT2000L-8HK	4x480W	Hydraulic	8 Meters	KUBOTA	D1105-BG	6.7KW	7.3KW	115
GLT2000L-8HP	4x480W	Hydraulic	8 Meters	PERKINS	403D-11G	7.2KW	8.0KW	115
GLT2000L-8HY	4x480W	Hydraulic	8 Meters	YANMAR	3TNV76	7.0KW	8.0KW	115
GLT2000L-8HR	4x480W	Hydraulic	8 Meters	REHLKO	KW1003	6.0KW	7.0KW	115
GLT2000L-8HQ	4x480W	Hydraulic	8 Meters	QUANCHAI	QC380D	7.0KW	8.0KW	115

Remark: Available models and configurations vary by lighting type, lifting system, mast height, engine brand and generator power.

Note: Product configurations may be updated according to market requirements. Please contact GENLITEC POWER for the latest model information.

REHLKO KW1003 diesel engine is available with EU Stage V and EPA Tier 4 Final emissions certification.

For more product information, specifications and configurations, please visit www.genlifecpower.com

